
## Model: FVXO-LC73 SERIES


Freq: 0.75 MHz to 1.35GHz

# VDS 7 x 5mm 3.3V V C X O

### **Features**

- XTREMELY Low Jitter
- Low Cost
- XPRESS Delivery
- Frequency Resolution to six decimal places
- Absolute Pull Range (APR) of ±50ppm
- -20 to +70°C or -40 to +85°C operating temperatures
- Tri-State Enable / Disable Feature
- Industry Standard Package, Footprint & Pin-Out
- Fully RoHS compliant
- Gold over Nickel Termination Finish
- Serial ID with Comprehensive Traceability





## **Description**

The Fox XPRESSO Crystal Oscillator is a breakthrough in configurable Frequency Control Solutions. XPRESSO utilizes a family of proprietary ASICs, designed and developed by Fox, with a key focus on noise reduction technologies.

The 3<sup>rd</sup> order Delta Sigma Modulator reduces noise to the levels that are comparable to traditional Bulk Quartz and SAW oscillators. The ASICs family has ability to select the output type, input voltages, and temperature performance features.

With the XPRESS lead-time, low cost, low noise, wide frequency range, excellent ambient performance, XpressO is an excellent choice over the conventional technologies.

Finished XPRESSO parts are 100% final tested.



RoHS

nage

Sample

Rev. 12/12/2007

Need a

## **Applications**

- ANY application requiring an oscillator
- SONET
- Ethernet
- Storage Area Network
- Broadband Access
- Microprocessors / DSP / FPGA
- Industrial Controllers
- Test and Measurement Equipment
- Fiber Channel

## **Contents**


|   | page   |
|---|--------|
| Model Selection & Part Number Guide               | 2      |
| Electrical Characteristic                         | 3      |
| Absolute Maximums                                 | 3      |
| Output Wave Characteristics                       | 4      |
| Phase Noise                                       | 5      |
| Jitter  | 5      |
| Pin Assignment                                    | 6      |
| Recommended Circuit                               | 6      |
| Reflow  | 6      |
| Mechanical Drawing and Pad Layout                 | 7      |
| Tape and Reel Specification                       | 8      |
| Label   | 8      |
| Traceability – LOT Number & Serial Identification | on 9   |
| RoHS Material Declaration                         | 10     |
| SGS Report 1'                                     | 1 & 12 |
| Mechanical Test                                   | 13     |
| Burn-In Test                                      | 13     |
| MTTF / FITS calculations                          | 14     |
| Other XPRESSO Links                               | 15     |
| Fox Contact Information                           | 15     |
|   |        |

FOXElectronics 5570 Enterprise Parkway Fort Myers, Florida 33905 USA +1.239.693.0099 FAX +1.239.693.1554 http://www.foxonline.com

Page 1 of 15







This example, FVXO-LC73BR-1244.16 = Voltage Controlled, LVDS Output, Ceramic, 7 x 5mm Package, 3.3V, ±50 PPM Absolute Pull Range, -40 to +85°C Temperature Range, at 1244.16 MHz

| Absolute Maximum Ratings (Useful life may be impaired. For user guidelines only, not tested) |                   |                  |   |
|--|-------------------|------------------|---|
| Parameters   | Symbol            | Condition        | Maximum Value<br>(unless otherwise noted) |
| Input Voltage  | $V_{DD}$          |                  | –0.5V to +5.0V                            |
| Operating Temperature  | T <sub>AMAX</sub> |                  | –55°C to +105°C                           |
| Storage Temperature  | T <sub>STG</sub>  |                  | –55°C to +125°C                           |
| Junction Temperature   |                   |                  | 150°C                                     |
| ESD Sensitivity  | HBM               | Human Body Model | 1 kV                                      |




| Electrical Characteristics     |                                    |   |   |
|--------------------------------|------------------------------------|---|---|
| Parameters                     | Symbol                             | Condition   | Maximum Value<br>(unless otherwise noted)           |
| Frequency Range                | Fo                                 |   | 0.750 MHz to 1.35 GHz                               |
| Absolute Pull Range Note 1     | APR                                |   | ± 50 ppm MIN  |
| Temperature Range              | T <sub>o</sub><br>T <sub>stg</sub> | Standard operating<br>Optional operating<br>Storage | -20°C to +70°C<br>-40°C to +85°C<br>-55°C to +125°C |
| Supply Voltage                 | V <sub>DD</sub>                    | Standard  | 3.3 V ± 5%  |
| Input Current (@ 100 Ohm LOAD) | I <sub>DD</sub>                    | Standard Load                                       | 100 mA  |
| Output Load                    |                                    | Standard  | 100 Ohms Typ.                                       |
| Start-Up Time                  | Ts                                 |   | 10 mS   |
| Output Enable / Disable Time   |                                    |   | 100 nS  |
| Moisture Sensitivity Level     | MSL                                | JEDEC J-STD-20                                      | 1   |
| Termination Finish             |                                    |   | Au  |

Note 1 – Stability is inclusive of 25°C tolerance, operating temperature range, input voltage change, load change, aging, shock and vibration.

| Frequency Control (V <sub>c</sub> ) Input pin # 1 |                   |                       |   |
|---|-------------------|-----------------------|---|
| Parameters  | Symbol            | Condition             | Maximum Value<br>(unless otherwise noted) |
| Control Voltage Tuning Slope <sup>1</sup>         |                   | 0V to $V_{\text{DD}}$ | 40 ~ 75 ppm/V Typ <sup>2</sup>            |
| Control Voltage Linearity <sup>2</sup>            | L <sub>VC</sub>   |                       | ± 10%                                     |
| Control Voltage Tuning Range                      | Vc                |                       | 0V ~ 3.3V                                 |
| Modulation Bandwidth                              | BW                |                       | 10 kHz Min                                |
| Nominal Control Voltage                           | V <sub>CNOM</sub> | @ f <sub>0</sub>      | 1.65V                                     |
| NOTES:  |                   |                       |   |


<sup>2</sup> Actual slope is affected by frequency and accuracy settings.

<sup>3</sup> For an example of linearity, see the graph below. (*The middle line represents the default Fox factory setting*)






| Output Wave Characteristics         |                 |                              |   |  |
|-------------------------------------|-----------------|------------------------------|---|--|
| Parameters                          | Symbol          | Condition                    | Maximum Value<br>(unless otherwise noted) |  |
| Differential Output Voltage         | V <sub>OD</sub> | 0.75 MHz to 1.35 GHz         | 0.6V Typ.                                 |  |
| Output Offset Voltage               | V <sub>os</sub> |                              | 1.3V Typ.                                 |  |
| Output Symmetry (See Drawing Below) |                 | @ 50% V <sub>P-P</sub> Level | 45% ~ 55%                                 |  |
| Output Enable (PIN # 2) Voltage     | V <sub>IH</sub> |                              | > 70% V <sub>DD</sub>                     |  |
| Output Disable (PIN # 2) Voltage    | VIL             |                              | < 30% V <sub>DD</sub>                     |  |
| Cycle Rise Time (See Drawing Below) | T <sub>R</sub>  | 0.75 MHz to 1.35 GHz         | 400 pS (20%~80%)                          |  |
| Cycle Fall Time (See Drawing Below) | T <sub>F</sub>  | 0.75 MHz to 1.35 GHz         | 400 pS (80%~20%)                          |  |



Oscillator Symmetry


Ideally, Symmetry should be 50/50 for 1/2 period -- Other expressions are 45/55 or 55/45





## FVXO-LC73






|     | Pin Connections           |     |                 |
|-----|---------------------------|-----|-----------------|
| #1) | V <sub>c</sub> #4) Output |     |                 |
| #2) | E/D                       | #5) | Output 2        |
| #3) | GND                       | #6) | V <sub>DD</sub> |


Drawing is for reference to critical specifications defined by size measurements. Certain non-critical visual attributes, such as side castellations, reference pin shape, etc. may vary







**Labeling** (Reels and smaller packaging are labeled with the below)



An additional identification code is contained internally if tracking should ever be necessary





## Traceability – LOT Number & Serial Identification

### **LOT Number**

The LOT Number has direct ties to the customer purchase order. The LOT Number is marked on the "Reel" label, and also stored internally on non-volatile memory inside the XPRESSO part. XPRESSO parts that are shipped Tape and Reel, are also placed in an Electro Static Discharge (ESD) bag and will have the LOT Number labeled on the exterior of the ESD bag.

It is recommended that the XPRESSO parts remain in this ESD bag during storage for protection and identification.

If the parts become separated from the label showing the LOT Number, it can be retrieved from inside one of the parts, and the information that can be obtained is listed below:

- Customer Purchase Order Number
- Internal Fox Sales Order Number
- Dates that the XPRESSO part was shipped from the factory
- The assigned customer part number
- The specification that the part was designed for

### **Serial Identification**

The Serial ID is the individualized information about the configuration of that particular XPRESSO part. The Serial ID is unique for each and every XPRESSO part, and can be read by special Fox equipment.

With the Serial ID, the below information can be obtained about that individual, XPRESSO part:

- Equipment that the XPRESSO part was configured on
- Raw material used to configure the XPRESSO part
- Traceability of the raw material back to the foundries manufacturing lot
- Date and Time that the part was configured
- Any optimized electrical parameters based on customer specifications
- Electrical testing of the actual completed part
- Human resource that was monitoring the configuration of the part

Fox has equipment placed at key Fox locations World Wide to read the Lot Identification and Serial Number of any XPRESSO part produced and can then obtain the information from above within 24 hours




## **RoHS Material Declaration**

|                               | Material Name    | Component  | Content   | Content    |              |
|-------------------------------|------------------|--|-----------|------------|--------------|
|                               |                  |  | (mg)      | (w t %)    | (CAS Number) |
| Cover                         | Kovar            | Nickel (Ni)                                      | 5.09      | 3.63%      | 7440-02-0    |
|                               |                  | Cobalt (Co)                                      | 3.15      | 2.24%      | 7440-48-4    |
|                               |                  | Iron (Fe)  | 9.47      | 6.75%      | 7439-89-6    |
| Base                          | Ceramic          | Alumina (Al <sub>2</sub> O <sub>3</sub> )        | 79.178    | 56.4%      | 1344-28-1    |
|                               |                  | Silicon Oxide (SiO <sub>2</sub> )                | 3.143     | 2.24%      | 14808-60-7   |
|                               |                  | Chromium Oxide (Cr <sub>2</sub> O <sub>3</sub> ) | 3.379     | 2.41%      | 1308-38-9    |
|                               |                  | Titanium Oxide (TiO <sub>2</sub> )               | 0.873     | 0.622%     | 13463-67-7   |
|                               |                  | Magnesium Oxide (MgO)                            | 0.437     | 0.311%     | 1309-48-4    |
|                               |                  | Calcium Oxide (CaO)                              | 0.297     | 0.212%     | 1305-78-8    |
|                               | + Metallization  | Tungsten (W)                                     | 12.272    | 8.74%      | 7440-33-7    |
|                               |                  | Molybdenum (Mo)                                  | 0.380     | 0.27%      | 7439-98-7    |
|                               | + Nickel Plating | Nickel (Ni)                                      | 4.740     | 3.38%      | 7440-02-0    |
|                               |                  | Cobalt (Co)                                      | 0.395     | 0.28%      | 7440-48-4    |
| + Gold Plating<br>+ Seal ring |                  | Gold (Au)  | 0.624     | 0.445%     | 7440-57-5    |
|                               |                  | Iron (Fe)  | 5.809     | 4.14%      | 7439-89-6    |
|                               |                  | Nickel (Ni)                                      | 3.119     | 2.22%      | 7440-02-0    |
|                               |                  | Cobalt (Co)                                      | 1.829     | 1.30%      | 7440-48-4    |
|                               | +silver solder   | Silver (Ag)                                      | 2.269     | 1.62%      | 7440-22-4    |
|                               |                  | Copper (Cu)                                      | 0.400     | 0.285%     | 7440-50-8    |
| ΙC                            | I C              | Aluminum (Al)                                    | 0.0021    | 0.00150%   | 7429-90-5    |
|                               |                  | Silicon (Si)                                     | 0.950     | 0.68%      | 7440-21-3    |
|                               | Gold             | Gold (Au)  | 0.480     | 0.342%     | 7440-57-5    |
| Adhesive                      |                  | Silver (Ag)                                      | 0.000210  | 0.000150%  | 7440-22-4    |
|                               |                  | Ероху  | 0.0000700 | 0.0000499% |              |
| Crystal                       | Crystal          | Silicon Dioxide (SiO <sub>2</sub> )              | 2.04      | 1.45%      | 14808-60-7   |
| -                             | Electrode        | Silver (Ag)                                      | 0.019     | 0.0135%    | 7440-22-4    |
|                               |                  | Nickel (Ni)                                      | 0.000159  | 0.000113%  | 7440-02-0    |
|                               | Adhesive         | Silver (Ag)                                      | 0.00037   | 0.000264%  | 7440-22-4    |
|                               |                  | Silicon (Si)                                     | 0.000125  | 0.000089%  | 7440-21-3    |
| TOTAL                         |                  |  | 140.3     | 100.00%    |              |





#### 3<sup>rd</sup> Party (SGS) Material Report



Ho Ting, Family Laboratory Executive

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS Hong Kong Ltd. 5/F - 8/F & 28/F -29/F, Metropole Square, 2 On Ylu Street, Slu Lek Yuen, Shatin, N.T., Hong Kong. t (852) 2334 4481-9 t (852) 2764 3126 www.hk.sgs.com Member of the SGS Group (SGS SA)





#### 3<sup>rd</sup> Party (SGS) Material Report (continued)



Test Report

•

No. 2053204/EC

Date : Mar 01 2006

Page 2 of 2

Test Results

| Test Item   | 1  | Detection Limit |
|---|----|-----------------|
| 1) Cadmium (Cd)   | ND | 2 ppm           |
| 2) Lead (Pb)  | ND | 2 ppm           |
| 3) Mercury (Hg)   | ND | 2 ppm           |
| <ol> <li>Hexavalent Chromium (Cr<sup>6+</sup>)</li> </ol> | ND | 2 ppm           |

(Results shown are of the total weight of samples)

Note : ppm = mg/kg

ND = Not Detected Not detected is reported when the reading is less than detection limit value

| 5)                                    |    |                 |
|---------------------------------------|----|-----------------|
| Flame Retardants                      | 1  | Detection Limit |
| Polybrominated Biphenyls (PBBs)       |    |                 |
| Monobromobiphenyl                     | ND | 5 ppm           |
| Dibromobiphenyl                       | ND | 5 ppm           |
| Tribromobiphenyl                      | ND | 5 ppm           |
| Tetrabromobiphenyl                    | ND | 5 ppm           |
| Pentabromobiphenyl                    | ND | 5 ppm           |
| Hexabromobiphenyl                     | ND | 5 ppm           |
| Heptabromobiphenyl                    | ND | 5 ppm           |
| Octabromobiphenyl                     | ND | 5 ppm           |
| Nonabromobiphenyl                     | ND | 5 ppm           |
| Decabromobiphenyl                     | ND | 5 ppm           |
| Polybrominated Diphenylethers (PBDEs) |    |                 |
| Monobromodiphenyl ether               | ND | 5 ppm           |
| Dibromodiphenyl ether                 | ND | 5 ppm           |
| Tribromodiphenyl ether                | ND | 5 ppm           |
| Tetrabromodiphenyl ether              | ND | 5 ppm           |
| Pentabromodiphenyl ether              | ND | 5 ppm           |
| Hexabromodiphenyl ether               | ND | 5 ppm           |
| Heptabromodiphenyl ether              | ND | 5 ppm           |
| Octabromodiphenyl ether               | ND | 5 ppm           |
| Nonabromodiphenyl ether               | ND | 5 ppm           |
| Decabromodiphenyl ether               | ND | 5 ppm           |

Note : ppm = mg/kg

ND = Not Detected

Not detected is reported when the reading is less than detection limit value.

Sample Description:

1. Black Ceramic w/ Silvery, Golden Metal w/ Silvery Chips

\*\*\* End of Report \*\*\*

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS Hong Kong Ltd. 5/F - 8/F & 28/F -29/F, Metropole Square, 2 On Ylu Street, Slu Lek Yuen, Shatin, N.T., Hong Kong. t (852) 2334 4481-9 f (852) 2764 3126 www.hk.sgs.com

Member of the SGS Group (SGS SA)






**Mechanical Testing** 

| Parameter  | Test Method  |
|--|--|
| Mechanical Shock Drop from 75cm to hardwood surface – 3 time |  |
| Mechanical Vibration   | 10~55Hz, 1.5mm amplitude, 1 Minute Sweep<br>2 Hours each in 3 Directions (X, Y, Z) |
| High Temperature Burn-in                                     | Under Power @ 125°C for 2000 Hours (results below)                                 |
| Hermetic Seal  | He pressure: 4 ±1 kgf / cm <sup>2</sup> 2 Hour soak                                |

## 2,000 Hour Burn-In

Burn-In Testing – under power 2000 Hours, 125°C





## **MTTF / FITS Calculations**

Products are grouped together by process for MTTF calculations. (All XpressO output and package types are manufactured with the same process)

Number of Parts Tested:<br/>Number of Failures:360 (120 of each output type: HCMOS, LVDS, LVPECL)Number of Failures:<br/>Test Temperature:125°CNumber of Hours:<br/>20002000

MTTF was calculated using the following formulas:

[1.] Device Hours (devhrs) = (number of devices) x (hours at elevated temperature in °K)

$$[2.] MTTF = \frac{devhrs \times af \times 2}{\chi^2}$$

[3.] FITS =  $\frac{1}{MTTF}$  \* 10<sup>9</sup>

| Where: |  |
|--------|--|
|--------|--|

| Label          | Name                | Formula/Value   |
|----------------|---------------------|---|
| af             | Acceleration Factor | $\boldsymbol{\ell}^{(\frac{eV}{k})\times(\frac{1}{t_1}-\frac{1}{t_2})}$   |
| eV             | Activation Energy   | 0.40 V  |
| k              | Bolzman's Constant  | 8.62 X 10⁻⁵ <i>eV</i> //°K  |
| t <sub>1</sub> |                     | Operating Temperature (°K)  |
| t <sub>2</sub> |                     | Accelerated Temperature (°K)  |
| Θ              | Theta               | Confidence Level (60% industry standard)  |
| r              | Failures            | Number of failed devices  |
| X <sup>2</sup> | Chi-Square          | statistical significance for bivariate tabular analysis [table look-<br>up] based on assumed $\Theta$ (Theta – confidence) and number of<br>failures (r) For zero failures (60% Confidence): $\chi^2 = 1.830$ |

DEVICE-HOURS = 360 x 2000 HOURS = 720,000

ACCELERATION FACTOR =  $e^{(\frac{0.40}{8.625})\times(\frac{1}{298}-\frac{1}{398})} = 49.91009$ 

MTTF =  $\frac{720,000 \times 49.91009 \times 2}{1.833}$  = 15,607,065 Hours

Failure Rate =  $\frac{1.833}{720,000 \times 49.91009 \times 2}$  = 6.41E-8

FITS = Failure Rate \*1E9 = 64





Notes :

### **Other XPRESSO Links**

XPRESSO Brochure

#### Crystal Oscillators

HCMOS 5 x 3.2mm 3.3V XO 0.75 to 250MHz

HCMOS 7 x 5mm 3.3V XO 0.75 to 250MHz

LVPECL 5 x 3.2mm 3.3V XO 0.75 to 1.35GHz

LVPECL 7 x 5mm 3.3V XO 0.75 to 1.35GHz

LVDS 5 x 3.2mm 3.3V XO 0.75 to 1.35GHz

LVDS 7 x 5mm 3.3V XO 0.75 to 1.35GHz

#### Voltage Controlled Crystal Oscillators

HCMOS 5 x 3.2mm 3.3V VCXO 0.75 to 250MHz

HCMOS 7 x 5mm 3.3V VCXO 0.75 to 250MHz

LVPECL 5 x 3.2mm 3.3V VCXO 0.75 to 1.35GHz

LVPECL 7 x 5mm 3.3V VCXO 0.75 to 1.35GHz

LVDS 5 x 3.2mm 3.3V VCXO 0.75 to 1.35GHz

LVDS 7 x 5mm 3.3V VCXO 0.75 to 1.35GHz

Main Website www.foxonline.com

Fox Japan

Tel:+81.3.3374.2079,

Fax: +81.3.3377.5221

Email: www.foxonline.com/email.htm

Patent Numbers: US 6,664,860, US 5,960,403, US 5,952,890; US 5,960,405; US 6,188,290; Foreign Patents: R.S.A. 98/0866, R.O.C. 120851; Singapore 67081, 67082; EP 0958652 China ZL 98802217.6, Malaysia MY-118540-A, Philippines 1-1998-000245, Hong Kong #HK1026079, Mexico #232179 US and Foreign Patents Pending XpressO<sup>™</sup> Fox Electronics

## Contact Information

#### (USA)-Worldwide Headquarters

Tel: 888-GET-2-FOX Outside US: +1.239.693.0099, Fax:+1.239.693.1554 Email: www.foxonline.com/email.htm

Fox EMEA

Tel/Fax: +44 1283 568153

Email: www.foxonline.com/email.htm

The above specifications, having been carefully prepared and checked, is believed to be accurate at the time of publication; however, no responsibility is assumed by Fox Electronics for inaccuracies.

