


# REL-MR 4,5DC/21AU

Order No.: 2961370



<http://www.phoenixcontact.de> 2961370

Order reference: 2961370

Commercial data	
Part No.	4 017918 730857
Note	de-to-order
Lead time	10 p .
Price	36 900
Price per piece	e 92 -2009

rod / t ote

o - o p t e:

0 20 2007

<http://www.phoenixcontact.de>

## Technical data

Coil side	
No. of poles	1
No. of terminals	3
Power	
Power	2.
Operating time	119 10 t20

**Contact side**

o t t t pe	e o t t t 1-
o t t ter	O h rd od-p ted
t h ot e	30
	36
t h ot e	100 t 10
r h rre t	o re e t
. t h rre t	1 t 2
t o t o rre t	0
terr pt r t oh o d .	1.2 t 2
Note	<b>the following values are applicable if a gold layer is destroyed</b>
t h ot e	2 0
t h ot e	t 100
t o t o rre t	6
. t h rre t	10 t 12
terr pt r t oh o d .	1 0 t 2
	20 or
	1 or 60
	23 or 110
	0 or 220
	1 00 or 2 0

**General data**

dth	
e ht	2
e pth	1
e t ot ere d re o t t	0 1 .
e tte per t re oper to	- 0 ...
e tte per t re tor e tr port	- 0 ...
Oper t ode	100 oper t tor
e h er e e	2 10 <sup>7</sup> e
t d rd re to	6066
	N 017
	62103
o to de ree	3

reoteor	
otpo to	
etr to	ro th ero p

**Connection data**

peo o e to	oder o e to
------------	-------------

**Certificates / Approvals**



ert to

O - -

**Additional products**

te e to e rpto


**General**

29 02 1	- - 1	6.2 t tor ter o th re o e to ethod p t o t e tho tre or opto o per
29 022	- - 21	6.2 ter o th re o e to ethod p t o t e tho tre or opto o per
29 02	- - 1	6.2 t tor ter o th pr - e o e to ethod p t o t e tho tre or opto o per
29 023	- - 21	6.2 ter o th pr - e o e to ethod p t o t e tho tre or opto o per


**Diagrams/Drawings**

r p oder p d eo etr


pt h d o 1.2 d 1.27



e o ed dr



r t d r



**Address**

O N ON e t h d  
h r t tr.  
32 2/ o er er  
ho e 9 23 3 12000  
9 23 3 1200  
http: .phoe o t t.de



2011 hoe o t t  
e h od to re er ed