



CONTACT PLATING : gold 0.40 μ over nickel 1 μ .

Part number  
SEE TABLE

8630-3098NLF	Power contact #8	4.40	5.00	3.90	8.98
8630-3056NLF	Power contact #12	2.80	3.65	2.40	3.18
8630-3060NLF	Power contact #14	2.10	3.00	1.70	1.91
8630-3064NLF	Power contact #16	1.70	2.60	1.50	1.34
part numbers	Designation	$\phi A^0$	$\phi B^{\pm 0.10}$	$\phi$ or mm CABLE	Section mm <sup>2</sup>

NOTE:ROHS INFORMATIONS

- The "LF" product meets European union Directives and other country regulations as described in GS-22-008.
- The product is not intended to be exposed to a manufacturing solder process.
- Packaging spec: see GS-14-920.

mat'l. code		surface		tolerance		projection		product family	
lfr	ecm no	dr	date	ISO 1302	ISO 406	ISO 1001		D-SUB	
A	LS06-0022	MPE	2006/03/11	tolerances unless otherwise specified		0.X	$\pm 0.1$	title	
B	LS06-0095	LCO	2006/06/23	linear	0.XX	$\pm 0.1$		PIN POWER CONTACTS	
C	F11-0326	APA	2011/10/28	0.XXX	$\pm 0.1$	SCALE	Amphenol FCi		
D	F-27592	ALA	2017/07/31	M.PESSON	2006/03/11	M.PESSON	2006/03/11	dwg no	sheet 1 of 1
				engr	LEGARRE	2006/03/11	2006/03/11	C01-8639-2160	A3
				chr	LEGARRE	2006/03/11	2006/03/11	Customer	Drawing
				appd	LEGARRE	2006/03/11	2006/03/11		
sheet	revision	1							
index	sheet	1							