


TABLE 2: LEAD FREE VERSION

TABLE 2 CONTACTS


[XXX]BLF	CLIP PLATING	SHELL PLATING	PCB HOLE
001BLF	30u" GOLD OVER 50u" NICKEL	200u" TIN OVER 100u" NICKEL	ø.026±.003
002BLF	30u" GOLD OVER 50u" NICKEL	10u" GOLD OVER 100u" NICKEL	ø.026±.003
011BLF	10u" GOLD OVER 50u" NICKEL	200u" TIN OVER 100u" NICKEL	ø.026±.003
014BLF	100u" TIN OVER 50u" NICKEL	200u" TIN OVER 100u" NICKEL	ø.026±.003

DIP-[>]-[XXX]B(LF)	DIMENSION				
	"A"	"B"	"C"	"D"	"E"
306	.200	2	.300	.195	.100
308	.300	3			
314	.600	6			
316	.700	7			
318	.800	8			
320	.900	9			
322	1.000	10			
324	1.100	11			
328	1.300	13			
624	1.100	11	.600	.420	.140
628	1.300	13			
632	1.500	15			
640	1.900	19			
648	2.300	23			



NOTES:

- PRODUCT NUMBERING CODE:
DIP-NNN-XXXXJB
 - TOTAL NO. OF POSITIONS.
ROW TO ROW SPACING.
- INSULATOR MATERIAL:
GLASS FILLED POLYESTER (PCT),
RATED UL 94V-0, COLOR BLACK.
- CONTACT MATERIAL:
OUTER SHELL: BRASS ALLOY 360, 1/2 HARD PER QQ-B-626.
INNER CONTACT: BERYLLIUM COPPER, ALLOY 172 PER QQ-C-533.
- CONTACT PLATING:
GOLD PER MIL-G-45204, TYPE 1
GRADE C, NICKEL PER QQ-N-290.
TIN/LEAD OR LEAD-FREE PER MIL-P-81728, TYPE 1



(DIP-320-[XXX]B SHOWN)

LEAD FREE PART NUMBER (SEE TABLE2)
DIP-[>]-[XXX]BLF

NOTE RoHS INFORMATION

- The "LF" products meet european union Directives and other country regulations as described in 65-22-008.
- The housing will withstand exposure to 260°C peak temperature for 20 seconds in a wave solder application with a 1.6mm minimum thick circuit board. See application notes/procedures if they are available.
- Packaging spec: see 65-14-920

rev	ecn no	dr	date
A	V00857	DLW	4/5/00
B	D10009	TB	7/5/01
C	V05-0424	TAB	5/10/05
D	LS06-0004	LGO	17/01/06
E	LS07-0141	HLE	2007/05/21
F	LS07-0271	HLE	2007/10/29
-	-	-	-

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
		TOLERANCES UNLESS OTHERWISE SPECIFIED		mm
Dr	D. WOLFORD	4/5/00	0.X ±0.1	size A3
Eng	A. VASBINDER	4/5/00	0.XX ±0.1	Scale 35:1
Chr	A. VASBINDER	4/5/00	0.XX ±2*	ECN LS07-0271
Appr	A. VASBINDER	4/5/00	0.XXX ±0.1	Spec ref -
Product family			DIP	
title DIP SOCKETS		dwg no 58708		Rev. F
catalog no		CUSTOMER		sheet 1 of 1



Copyright FCI.